

Safety Data Sheet according to regulation (EG) 1907/2006



Trade name: Kosmetisches Basiswasser (0911)

Revised on: 3.3.2026

page: 1

1. Product and company identification

1.1 Product Identifier

Kosmetisches Basiswasser (0911)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture : Cosmetic ingredient

1.3 Details of the supplier of the safety data sheet

Manufacturer / supplier: Nöring Naturprodukte GmbH & Co. KG
street: St. Huberter Str. 82
Nat.-Ident./ postcode/ town: D - 47906 Kempen
Phone: +49 (0) 2152 99446-0
Fax: +49 (0) 2152 4139
E-Mail: info@noering-naturprodukte.de

1.4 Emergency telephone number:

Nöring Naturprodukte GmbH & Co. KG, St. Huberter Str. 82, 47906 Kempen,
Tel.: +49 (0) 2152 99446-0 (Mo.-Do. 8-17 Uhr Fr. 8-15 Uhr)
Tel.: +49 (0) 551 192 40 (Giftinformationszentrum Nord)

2. Hazard identification

2.1. Classification of the substance or mixture

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Flam. Liq. 2 / H225
Eye Irrit. 2 / H319

Flammable liquids
Serious eye damage/eye irritation

Highly flammable liquid and vapour.
Causes serious eye irritation.

2.2. Label elements

Pictogram



Warning mention Danger

Hazard statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 Use explosion-proof electrical equipment.
P280 Wear protective gloves and eye/face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Kosmetisches Basiswasser (0911)

Revised on: 3.3.2026

page: 2

P337 + P313 If eye irritation persists: Get medical advice/attention.
P403 + P235 Store in a well-ventilated place. Keep cool.

Hazard components for labelling
not applicable

Supplemental hazard information
not applicable

2.3 Other hazards

No information available.

3. Composition / Information on ingredient

3.2. Mixtures

EC No./CAS No./Index No.	REACH No./Designation	weight-%
00-578-6	01-2119457610-43-0193	50 - 100
64-17-5	Ethanol	
603-002-00-5	Flam. Liq. 2 H225	

Additional informations
Full text of classification: see section 16

4. First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm.

Do NOT induce vomiting

4.2. Most important symptoms and effects, both acute and delayed

Not available

4.3. Indication of any immediate medical attention and special treatment needed

Not available

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Kosmetisches Basiswasser (0911)

Revised on: 3.3.2026

page: 3

5. Fire fighting

5.1. Extinguishing media

Appropriate extinction method

In case of fire, use water spray (or fog) and appropriate fire extinguishers (CO₂, powder ...)

Inappropriate extinction method

In case of fire, never use direct water stream.

5.2. Special hazards arising from the substance or mixture

In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO₂). Exposure to decomposition products may be hazardous to health. Do not breathe fumes.

5.3. Advice for firefighters

Move undamaged containers from immediate hazard area if it can be done safely. Remove product from area of fire.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent a manager

Refer to protective measures listed in sections 7 and 8.

For non-emergency personnel

Avoid breathing vapors. Avoid all contact with skin and eyes. If necessary, evacuate staff by trained operators equipped with safety equipment

For emergency responders

Appropriate personal protective equipment will be required (refer to Section 8). Use appropriate personal protective equipment during clean-up.

6.2. Environmental precautions

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the product penetrates into the sewers or public waters.

6.3. Methods and material for containment and cleaning up

Diking with sand or diatomaceous earth, pumping and rinsing with water after recovery of specific waste in plastic drums and labeled then deliver to an approved waste facility.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

Refer to sections 8 and 13 for information on exposure control, personal protection and disposal.

7. Handling and storage

7.1. Precautions for safe handling

Wash hands after use. Reproduce labeling if transfer to another container. Ensure adequate ventilation. Provide safety showers and eye washes.

Fire prevention

Prevent access by unauthorized persons. Handle in well ventilated areas. Take precautionary measure against static discharges. Keep away from sources of ignition. No smoking.

Equipment and procedures

For personal protection, see Section 8. Observe precautions stated on the label and regulations of labor protection. Close the packaging after use. Avoid inhalation of vapors and contact with skin or eyes.

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Kosmetisches Basiswasser (0911)

Revised on: 3.3.2026

page: 4

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed containers away from heat sources and protected from extreme temperatures.
Keep containers closed when not in use. Always keep in appropriate packages (identical to the original material).

7.3. Specific end use(s)

No concerned

8. Exposure controls / Personal protection

8.1. Control parameters

DNEL:

Ethanol

Index No. 603-002-00-5 / EC No. 200-578-6 / CAS No. 64-17-5

DNEL long-term dermal (systemic), Workers: 343 mg/kg
DNEL acute inhalative (local), Workers: 1900 mg/m³
DNEL long-term inhalative (systemic), Workers: 950 mg/m³
DNEL long-term oral (repeated), Consumer: 87 mg/kg
DNEL long-term dermal (systemic), Consumer: 206 mg/kg
DNEL acute inhalative (local), Consumer: 950 mg/m³
DNEL long-term inhalative (systemic), Consumer: 114 mg/m³

PNEC:

Ethanol

Index No. 603-002-00-5 / EC No. 200-578-6 / CAS No. 64-17-5

PNEC aquatic, freshwater: 0,96 mg/L
PNEC aquatic, marine water: 0,79 mg/L
PNEC aquatic, intermittent release: 2,75 mg/L
PNEC sediment, freshwater: 3,6 mg/kg
PNEC sediment, marine water: 2,9 mg/kg
PNEC, soil: 0,63 mg/kg
PNEC sewage treatment plant (STP): 580 mg/L

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Hands protection	wear gloves
Eyes protection	wear glasses
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment
Body protection	Wear regularly cleaned overalls. In case of contact, all soiled parts should be washed.
Engineering measures	Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drinks. Do not eat, do not drink and do not smoke during use.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Relative density (d _{20/20})	0,81 g/cm ³
Initial boiling point and boiling range:	78 °C
Color	colorless
Odor	Characteristic
Appearance	Liquid

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Kosmetisches Basiswasser (0911)

Revised on: 3.3.2026

page: 5

Flash point (° C) 13 °C

10. Stability and reactivity

10.1. Reactivity

No dangerous reactions during storage and handling according to specifications.

10.2. Chemical stability

Stable product during storage and handling according to specifications.

10.3. Possibility of hazardous reactions

No dangerous reactions during storage and handling according to specifications.

10.4. Conditions to avoid

Avoid excessive heat (naked flames, sparks, ...).

10.5. Incompatible materials

Not available

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided

No decomposition if used according to specifications.

Dangerous decomposition products

No dangerous decomposition products known.

11. Toxicological Information

11.1. Information on toxicological

Toxicological Information

No data available.

Acute toxicity

Ethanol

oral, LD50, Rat: 10470 mg/kg

dermal, LD50, Rabbit: > 2000 mg/kg

inhalative, LC50, Mouse: > 20 mg/L (4 h)

12. Ecological Information

12.1. Toxicity

Based on the available data, the classification criteria are not met.

12.2. Persistence and degradability

Ethanol, Degradation rate: > 70 % (5 D)

Method: OECD 301 D

Biodegradable.

12.3. Bioaccumulative potential

Data are not available

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Kosmetisches Basiswasser (0911)

Revised on: 3.3.2026

page: 6

12.6. Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

13. Disposal recommendations

13.1. Waste treatment methods

Waste

Do not flush with household garbage. Do not pour into drains or waterways. Dispose of according to current legislation, by a collector or a specialized company.

Contaminated packaging

Keep the label on the container. Give to a certified disposal.

14. Transport information

14.1. UN number or ID number

UN 1170

14.2. UN proper shipping name

Land transport (ADR/RID): Ethanol

Sea transport (IMDG): ETHANOL (ETHYL ALCOHOL)

Air transport (ICAO-TI / IATA-DGR): Ethanol

14.3. Transport hazard class(es)

3

14.4. Packing group

II

14.5. Environmental hazards

Land transport (ADR/RID) not applicable

Marine pollutant not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code D/E

Sea transport (IMDG)

EmS-No. F-E, S-D

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC – Code

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany)

WGK 2

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Kosmetisches Basiswasser (0911)

Revised on: 3.3.2026

page: 7

15.2. Chemical safety assessment

For Ethanol, CAS-No. 64-17-5, EC-No. 200-578-6 a chemical safety assessment has been carried out.

16. Other information

Full H sentences text in point 3

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H301+H311 Toxic if swallowed or in contact with skin

H302 Harmful if swallowed.

H302+H312 Harmful if swallowed or in contact with skin

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H302+H332 Harmful if swallowed or if inhaled

H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness and dizziness.

H373 Can cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H401 Toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

The information is based on our current level of knowledge, but does not represent any assurance of product properties and does not establish a contractual legal relationship.